

## Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200)

Revision: October 22, 2019

### 1 Identification

· **Product identifier**

- **Trade name:** SunScreen UV Resistant Clear Coat – Satin & Gloss
- **Product code:** 8920 & 8940

· **Recommended use and restriction on use**

· **Recommended use:**

SunScreen UV Resistant Clear Coat is a specially designed clear topcoat that absorbs a broad range of ultra-violet light, making it ideal for imparting additional protection to exterior metal, wood and masonry substrates. SunScreen is available in a gloss or satin finish to aid in protecting your projects' paint system against cracking, blistering and peeling, as well as vastly improving the color and gloss retention. Help protect your project against the harsh Florida climate by adding SunScreen to your next project.

- **Restrictions on use:** No relevant information available.

· **Details of the supplier of the Safety Data Sheet**

· **Manufacturer/Supplier:**

Florida Paints  
78 3rd Street  
Winter Garden, FL 34787  
407-986-1000  
info@floridapaints.com

· **Emergency telephone number:**

ChemTel Inc.  
(800) 255-3924 (North America)  
(801) 1 (813)248-0585 (International)

### 2 Hazard(s) identification

· **Classification of the substance or mixture**

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 1B H360 May damage fertility or the unborn child.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS07 GHS08

· **Signal word:** Danger

· **Hazard statements:**

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

· **Precautionary statements:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 If on skin: Wash with plenty of soap and water.

(Cont'd. on page 2)

## Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200)

Revision: October 22, 2019

**Trade name: SunScreen UV Resistant Clear Coat - Satin & Gloss**

(Cont'd. of page 1)

- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

872-50-4	N-methyl-2-pyrrolidone <ul style="list-style-type: none"> <li>⚠ Repr. 1B, H360</li> <li>⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335</li> <li>⚠ Flam. Liq. 4, H227</li> </ul>	<10%
57-55-6	Propylene glycol	<10%
84-74-2	Dibutyl phthalate <ul style="list-style-type: none"> <li>⚠ Repr. 1B, H360</li> </ul>	<10%
121-44-8	triethylamine <ul style="list-style-type: none"> <li>⚠ Flam. Liq. 2, H225</li> <li>⚠ Acute Tox. 3, H311; Acute Tox. 3, H331</li> <li>⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318</li> <li>⚠ Acute Tox. 4, H302</li> </ul>	<1%
41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate <ul style="list-style-type: none"> <li>⚠ Skin Sens. 1, H317</li> </ul>	<1%
55406-53-6	3-Iodo-2-propynylbutylcarbamate <ul style="list-style-type: none"> <li>⚠ Acute Tox. 3, H331</li> <li>⚠ STOT RE 1, H372</li> <li>⚠ Eye Dam. 1, H318</li> <li>⚠ Acute Tox. 4, H302; Skin Sens. 1, H317</li> </ul>	<1%
82919-37-7	Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate <ul style="list-style-type: none"> <li>⚠ Skin Sens. 1, H317</li> </ul>	<1%

· **Additional information:**

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

### 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

(Cont'd. on page 3)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200)

Revision: October 22, 2019

**Trade name: SunScreen UV Resistant Clear Coat - Satin & Gloss**

(Cont'd. of page 2)

If skin irritation or rash occurs: Get medical advice/attention.

**· After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**· After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

**· Most important symptoms and effects, both acute and delayed:**

Allergic reactions

Slight irritant effect on skin and mucous membranes.

Slight irritant effect on eyes.

**· Danger:** May damage fertility or the unborn child.**· Indication of any immediate medical attention and special treatment needed:**

Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, 3-Iodo-2-propynylbutylcarbamate, Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

**5 Fire-fighting measures****· Extinguishing media****· Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.**· For safety reasons unsuitable extinguishing agents:** Water stream.**· Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

**· Advice for firefighters****· Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

**6 Accidental release measures****· Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required.

Avoid formation of dust.

Avoid breathing dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

**· Environmental precautions** Avoid release to the environment.**· Methods and material for containment and cleaning up**

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)

## Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200)

Revision: October 22, 2019

**Trade name: SunScreen UV Resistant Clear Coat - Satin & Gloss**

(Cont'd. of page 3)

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**  
Keep out of reach of children.  
Avoid contact with the eyes and skin.  
Use only in well ventilated areas.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**  
Store in cool, dry conditions in well sealed receptacles.  
Avoid storage near extreme heat, ignition sources or open flame.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Store away from oxidizing agents.
- **Specific end use(s)** No relevant information available.

### 8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**872-50-4 N-methyl-2-pyrrolidone**

TLV (USA)	BEI
WEEL (USA)	Long-term value: 10 ppm Skin
EV (Canada)	Long-term value: 400 mg/m <sup>3</sup>

**57-55-6 Propylene glycol**

WEEL (USA)	Long-term value: 10 mg/m <sup>3</sup>
EV (Canada)	Long-term value: 155* 10** mg/m <sup>3</sup> , 50* ppm *vapour and aerosol;**aerosol only

**84-74-2 Dibutyl phthalate**

PEL (USA)	Long-term value: 5 mg/m <sup>3</sup>
REL (USA)	Long-term value: 5 mg/m <sup>3</sup>
TLV (USA)	Long-term value: 5 mg/m <sup>3</sup>
EL (Canada)	Long-term value: 5 mg/m <sup>3</sup> R
EV (Canada)	Long-term value: 5 mg/m <sup>3</sup>
LMPE (Mexico)	Long-term value: 5 mg/m <sup>3</sup>

**121-44-8 triethylamine**

PEL (USA)	Long-term value: 100 mg/m <sup>3</sup> , 25 ppm
TLV (USA)	Short-term value: 4.14 mg/m <sup>3</sup> , 1 ppm Long-term value: 2.07 mg/m <sup>3</sup> , 0.5 ppm Skin
EL (Canada)	Short-term value: 1 ppm Long-term value: 0.5 ppm

(Cont'd. on page 5)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200)

Revision: October 22, 2019

**Trade name: SunScreen UV Resistant Clear Coat - Satin & Gloss**

(Cont'd. of page 4)

EV (Canada)	Skin Short-term value: 3 ppm Long-term value: 1 ppm
LMPE (Mexico)	Short-term value: 3 ppm Long-term value: 1 ppm A4, PIEL

**Ingredients with biological limit values:**

**872-50-4 N-methyl-2-pyrrolidone**

BEI (USA)	100 mg/L Medium: urine Time: end of shift Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone
-----------	--

**Exposure controls**

**General protective and hygienic measures:**

- The usual precautionary measures for handling chemicals should be followed.
- Pregnant women should strictly avoid inhalation or skin contact.
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Avoid contact with the eyes and skin.

**Engineering controls:** Provide adequate ventilation.

**Breathing equipment:**

- Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.
- A NIOSH approved dust respirator should be used for operations generating dust.

**Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Eye protection:**



Safety glasses

**Body protection:** Protective work clothing

**Limitation and supervision of exposure into the environment**

No relevant information available.

**Risk management measures** No relevant information available.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**

**Appearance:**

**Form:** Liquid

(Cont'd. on page 6)

## Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200)

Revision: October 22, 2019

**Trade name: SunScreen UV Resistant Clear Coat - Satin & Gloss**

(Cont'd. of page 5)

<b>Color:</b>	Clear
· <b>Odor:</b>	Slight
· <b>Odor threshold:</b>	Not determined.
· <b>pH-value:</b>	8.5-9.5
· <b>Melting point/Melting range:</b>	Not determined.
· <b>Boiling point/Boiling range:</b>	Not determined.
· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Auto-ignition temperature:</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Oxidizing properties:</b>	Non-oxidizing.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density:</b>	
<b>Relative density:</b>	1.032
<b>Vapor density:</b>	Not determined.
<b>Evaporation rate:</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Soluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>VOC content:</b>	227 g/l (Method 24)
· <b>Other information</b>	No relevant information available.

### 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** Reacts with strong oxidizing agents.
- **Conditions to avoid**  
Excessive heat.  
Prevent formation of dust.
- **Incompatible materials** Oxidizers
- **Hazardous decomposition products**

(Cont'd. on page 7)

## Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200)

Revision: October 22, 2019

**Trade name: SunScreen UV Resistant Clear Coat - Satin & Gloss**

(Cont'd. of page 6)

Under fire conditions only:  
Carbon monoxide and carbon dioxide  
Nitrogen oxides

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**872-50-4 N-methyl-2-pyrrolidone**

Oral	LD50	4150 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rat)

**84-74-2 Dibutyl phthalate**

Oral	LD50	8000 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)

**121-44-8 triethylamine**

Oral	LD50	460 mg/kg (rat)
Dermal	LD50	570 mg/kg (rabbit)

**55406-53-6 3-Iodo-2-propynylbutylcarbamate**

Oral	LD50	1470 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4h	>6.89 mg/l (rat)

- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.
- **On the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:**  
Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, 3-Iodo-2-propynylbutylcarbamate, Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable route(s) of exposure:**

- Ingestion.
- Inhalation.
- Eye contact.
- Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** May damage fertility or the unborn child.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200)

Revision: October 22, 2019

**Trade name: SunScreen UV Resistant Clear Coat - Satin & Gloss**

(Cont'd. of page 7)

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity**  
Harmful to aquatic life with long lasting effects.

<b>41556-26-7 bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate</b>	
LC50	0.97 mg/l (Iepomis macrochirus)

- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Other adverse effects** No relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· <b>UN-Number</b>	
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· <b>UN proper shipping name</b>	
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· <b>Transport hazard class(es)</b>	
· DOT, ADR/RID/ADN, IMDG, IATA	
· Class	Not regulated.
· <b>Packing group</b>	
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· <b>Environmental hazards</b>	
· Marine pollutant:	No
· <b>Special precautions for user</b>	Not applicable.

(Cont'd. on page 9)



**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200)

Revision: October 22, 2019

**Trade name: SunScreen UV Resistant Clear Coat - Satin & Gloss**

(Cont'd. of page 8)

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 · **United States (USA)**  
 · **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

872-50-4 | N-methyl-2-pyrrolidone

84-74-2 | Dibutyl phthalate

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed or exempt.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

84-74-2 | Dibutyl phthalate

· **Chemicals known to cause developmental toxicity for males:**

84-74-2 | Dibutyl phthalate

· **Chemicals known to cause developmental toxicity:**

872-50-4 | N-methyl-2-pyrrolidone

84-74-2 | Dibutyl phthalate

· **EPA (Environmental Protection Agency):**

84-74-2 | Dibutyl phthalate

D

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapor.

H227 Combustible liquid.

(Cont'd. on page 10)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200)

Revision: October 22, 2019

**Trade name: SunScreen UV Resistant Clear Coat - Satin & Gloss**

(Cont'd. of page 9)

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H360 May damage fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.

- **Date of preparation / last revision** October 22, 2019 / -

- **Abbreviations and acronyms:**

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- BEI: Biological Exposure Limit
- Flam. Liq. 2: Flammable liquids – Category 2
- Flam. Liq. 4: Flammable liquids – Category 4
- Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 3: Acute toxicity – Category 3
- Skin Corr. 1A: Skin corrosion/irritation – Category 1A
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
- Skin Sens. 1: Skin sensitisation – Category 1
- Repr. 1B: Reproductive toxicity – Category 1B
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

- **Sources**

- Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))
- Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))
- Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))
- Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
- Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.
- Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)